

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Ashtabula, OH**  
 Waterway: **Ashtabula Outer Harbor** Mile: PWD: 22  
 Name: **Great Lakes Towing Co., Ashtabula Dock.**  
 Location: Center portion of west side of Minnesota Slip, Ashtabula. Datum: LWD  
 Operator: The Great Lakes Towing Co.  
 Owner: Pinney Dock & Transport Co.  
 Address: 1149 East 5th Street. Phone: 216-621-4854  
 Town: Ashtabula State: OH County: Ashtabula  
 Railway Connection: Norfolk Southern Corp.: Three marginal surface tracks extend along slip side to join nearby storage yards.  
 Purpose: Mooring company-owned tugboats.  
 Depth Alongside (feet): 20 - 23 | | Latitude (decimal): 41.906667  
 Total Berthing Space (feet): 400 | | Longitude (decimal): -80.795  
 Remarks: At time of survey, tugboats, 'Iowa' and 'Rhode Island' were based at wharf, and are available for service at other Lake Erie locations as required.  
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72101 Dock Code: 214

---

Port: **Ashtabula, OH**  
 Waterway: **Ashtabula Outer Harbor** Mile: PWD: 23  
 Name: **Pinney Dock & Transport Co., Ashtabula A & B Dock, Inner End.**  
 Location: Outer harbor, inner portion of west side of Minnesota Slip, Ashtabula. Datum: LWD  
 Operator: Pinney Dock & Transport Co.  
 Owner: Pinney Dock & Transport Co.  
 Address: 1149 East 5th Street. Phone: 440-964-7186  
 Town: Ashtabula State: OH County: Ashtabula  
 Railway Connection: Norfolk Southern Corp.: Surface tracks at rear of and parallel to slip join nearby storage yards.  
 Purpose: Mooring vessels for repair and maintenance during closed navigation season.  
 Depth Alongside (feet): 28 | | Latitude (decimal): 41.903611  
 Total Berthing Space (feet): 1,400 | | Longitude (decimal): -80.795  
 Remarks: Slip is 120 feet wide.  
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72101 Dock Code: 215 Buffalo District

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Ashtabula, OH**  
 Waterway: **Ashtabula Outer Harbor** Mile: PWD: 21  
 Name: **Pinney Dock & Transport Co., Ashtabula A & B Dock, Outer End.**  
 Location: Outer harbor and outer portion of west side of Minnesota Slip, Ashtabula. Datum: LWD  
 Operator: Pinney Dock & Transport Co.  
 Owner: Pinney Dock & Transport Co.  
 Address: 1149 East 5th Street. Phone: 440-964-7186  
 Town: Ashtabula State: OH County: Ashtabula  
 Railway Connection: Norfolk Southern Corp.: Three marginal surface tracks extend along slip side and continue along north side to join nearby storage yards.  
 Purpose: Receipt of iron ore by self-unloading vessels; mooring vessels for repair and maintenance during closed navigation season.  
 Depth Alongside (feet): 28 | 17 - 25 | Latitude (decimal): 41.911111  
 Total Berthing Space (feet): 1,165 | 1,030 | Longitude (decimal): -80.79639  
 Remarks: Open storage area located in rear has capacity for 1,000,000 tons of iron ore.  
 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 72101 Dock Code: 215 Buffalo District

---

Port: **Ashtabula, OH**  
 Waterway: **Ashtabula Outer Harbor** Mile: PWD: 27  
 Name: **Pinney Dock & Transport Co., Ashtabula Dock No. 3.**  
 Location: Outer harbor, west side of Slip No. 2, approximately 0.8 mile east of mouth of Ashtabula River, Ashtabul Datum: LWD  
 Operator: Pinney Dock & Transport Co.  
 Owner: Pinney Dock & Transport Co.  
 Address: 1149 East 5th Street. Phone: 440-964-7186  
 Town: Ashtabula State: OH County: Ashtabula  
 Railway Connection: One surface track on pier; connects with Norfolk Southern Corp.  
 Purpose: Receipt of sand, potash, quartz, limestone, and ore by self-unloading vessels.  
 Depth Alongside (feet): 26 | | Latitude (decimal): 41.908889  
 Total Berthing Space (feet): 2,000 | | Longitude (decimal): -80.78528  
 Remarks: Use of open storage area described under Ref. No. 26. Slip is 150 feet wide.  
 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 72101 Dock Code: 224 Buffalo District

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Ashtabula, OH**  
 Waterway: **Ashtabula Outer Harbor** Mile: PWD: 28  
 Name: **Pinney Dock & Transport Co., Ashtabula Dock No. 4.**  
 Location: Outer harbor, east side of Slip No. 2, approximately 0.8 mile east of mouth of Ashtabula River, Ashtabula Datum: LWD  
 Operator: Pinney Dock & Transport Co.  
 Owner: Pinney Dock & Transport Co.  
 Address: 1149 East 5th Street. Phone: 440-964-7186  
 Town: Ashtabula State: OH County: Ashtabula  
 Railway Connection: One 1,600-foot surface track extending along rear of face; connects with Norfolk Southern Corp.  
 Purpose: Receipt and shipment of general cargo in foreign and domestic trade; receipt of ore, pig iron, and lumber.  
 Depth Alongside (feet): 26 | | Latitude (decimal): 41.908889  
 Total Berthing Space (feet): 2,000 | | Longitude (decimal): -80.78444  
 Remarks: Approximately 5 acres of open storage area are available at rear. L-M-N-O-P Transit Shed (620 by 248 and 200) is used exclusively for storing dry bulk commodities with drying and bagging equipment available. All other transit sheds are available as public storage warehouses as required.  
 Year of Last Survey: 2001 Corps of Eng'rs Waterway Code: 72101 Dock Code: 226 Buffalo District

---

Port: **Ashtabula, OH**  
 Waterway: **Ashtabula Outer Harbor** Mile: PWD: 26  
 Name: **Pinney Dock & Transport Co., Ashtabula Dock Nos. 1 and 2.**  
 Location: Outer harbor, west and east side of Slip No. 1, approximately 0.7 mile east of mouth of Ashtabula River, Datum: LWD  
 Operator: Pinney Dock & Transport Co.  
 Owner: Pinney Dock & Transport Co.  
 Address: 1149 East 5th Street. Phone: 440-964-7186  
 Town: Ashtabula State: OH County: Ashtabula  
 Railway Connection: One surface track at rear of Dock No. 1; connects with Norfolk Southern Corp.  
 Purpose: Receipt of sand, potash, quartz, limestone, and ore by self-unloading vessels.  
 Depth Alongside (feet): 28 | 28 | Latitude (decimal): 41.908333  
 Total Berthing Space (feet): 2,000 | 2,000 | Longitude (decimal): -80.7875  
 Remarks: Open storage areas located at rear of Dock No. 1, and between Docks Nos. 2 and 3 (Ref. No. 27) have a total storage capacity of 2,000,000 tons. Slip is 150 feet wide.  
 Year of Last Survey: 2001 Corps of Eng'rs Waterway Code: 72101 Dock Code: 224 Buffalo District

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Ashtabula, OH**  
Waterway: **Ashtabula Outer Harbor** Mile: PWD: 24  
Name: **Pinney Dock & Transport Co., Ashtabula Union Dock, Inner End.**  
Location: Outer harbor, inner portion of east side of Minnesota Slip, Ashtabula. Datum: LWD  
Operator: Pinney Dock & Transport Co.  
Owner: Pinney Dock & Transport Co.  
Address: 1149 East 5th Street. Phone: 440-964-7186  
Town: Ashtabula State: OH County: Ashtabula  
Railway Connection: Norfolk Southern Corp.: Surface tracks at rear of and parallel to slip join nearby storage yards.  
Purpose: Mooring vessels for repair and maintenance during closed navigation season.  
Depth Alongside (feet): 28 | | Latitude (decimal): 41.904444  
Total Berthing Space (feet): 1,450 | | Longitude (decimal): -80.79361  
Remarks: Slip is 120 feet wide.  
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72101 Dock Code: 216

---

Port: **Ashtabula, OH**  
Waterway: **Ashtabula Outer Harbor** Mile: PWD: 25  
Name: **Pinney Dock & Transport Co., Ashtabula Union Dock, Outer End.**  
Location: Outer harbor and outer portion of east side of Minnesota Slip, Ashtabula. Datum: LWD  
Operator: Pinney Dock & Transport Co.  
Owner: Pinney Dock & Transport Co.  
Address: 1149 East 5th Street. Phone: 440-964-7186  
Town: Ashtabula State: OH County: Ashtabula  
Railway Connection: Norfolk Southern Corp.: Three marginal surface tracks extend along slip side and continue along north side to join nearby storage yards.  
Purpose: Receipt of iron ore pellets by self-unloading vessels; mooring vessels for repair and maintenance during closed navigation season.  
Depth Alongside (feet): 28 - - | | Latitude (decimal): 41.910278  
Total Berthing Space (feet): 1,198 | | Longitude (decimal): -80.79194  
Remarks: Open storage area in rear has capacity for 1,000,000 tons of iron ore.  
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72101 Dock Code: 216

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Ashtabula, OH**  
 Waterway: **Ashtabula River** Mile: PWD: 16  
 Name: **Norfolk Southern Corp., Ashtabula Coal Dock.**  
 Location: Left bank at mouth of Ashtabula River, Inner Harbor, Ashtabula. Datum: LWD  
 Operator: Norfolk Southern Corp.  
 Owner: Norfolk Southern Corp.  
 Address: Phone: 440-992-2238  
 Town: Ashtabula State: OH County: Ashtabula  
 Railway Connection: Norfolk Southern Corp.: One 1,000-foot surface track along rear of face, rotary dumper unloading rate 2,500 to 3,000 tons per hour.  
 Purpose: Shipment of coal; mooring vessels.  
 Depth Alongside (feet): 14 - 27 | | Latitude (decimal): 41.906111  
 Total Berthing Space (feet): 2,800 | | Longitude (decimal): -80.79889  
 Remarks: Loader is served via an arched, overhead conveyor bridge across the Ashtabula River from open coal storage areas located along both sides of the main conveyor belt in rear of wharf, total storage capacity 1,200,000 tons; and to 3 concrete surge storage silos, total capacity 12,000 tons; and thence via an 84-inch belt-conveyor to coal loader. Storage area is served by an electric, crawler type, bucket-wheel, stacker-reclaimer equipped with nine 1 1/2-cubicyard buckets, stacking capacity 3,000 tons and reclaiming capacity 5,000 tons per hour; stacker-reclaimer can work simultaneously with rotary car dumper. One 25-cubic yard, diesel, mobile front-end loader, and 4 diesel bulldozers are used to compact and shape coal stockpiles.

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72101 Dock Code: 038 Buffalo District

Port: **Ashtabula, OH**  
 Waterway: **Ashtabula River** Mile: PWD: 19  
 Name: **Norfolk Southern Corp., Ashtabula Dock No. 7.**  
 Location: Inner harbor, right bank, Ashtabula River, approximately 0.5 mile above mouth of river, Ashtabula. Datum: LWD  
 Operator: Not operated.  
 Owner: Norfolk Southern Corp.  
 Address: Phone: 440-992-2238  
 Town: Ashtabula State: OH County: Ashtabula  
 Railway Connection: Norfolk Southern Corp.: Storage yard tracks serving car-thawing shed and rotary dumper are located at rear.  
 Purpose: Not used.  
 Depth Alongside (feet): 6 - 8 | | Latitude (decimal): 41.903889  
 Total Berthing Space (feet): 500 | | Longitude (decimal): -80.79778  
 Remarks: Rotary rail car coal dumper located southeast of wharf serves electric belt-conveyor extending to Norfolk Southern Corp. Coal Dock (Ref. No. 16).

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72101 Dock Code: 185

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Ashtabula, OH**  
 Waterway: **Ashtabula River** Mile: PWD: 20  
 Name: **Norfolk Southern Corp., Ashtabula Dock No. 9.**  
 Location: Inner harbor, right bank of Ashtabula River at mouth, Ashtabula. Datum: LWD  
 Operator: Norfolk Southern Corp.  
 Owner: Norfolk Southern Corp.  
 Address: Phone: 216/992-2274  
 Town: Ashtabula State: OH County: Ashtabula  
 Railway Connection: Norfolk Southern Corp.: Storage yard tracks are located at rear.  
 Purpose: Mooring vessels.  
 Depth Alongside (feet): 6 - 24 | | Latitude (decimal): 41.905556  
 Total Berthing Space (feet): 2,450 | | Longitude (decimal): -80.79778  
 Remarks:  
 Year of Last Survey: 2001 Corps of Eng'rs Waterway Code: 72101 Dock Code: 192 Buffalo District

Port: **Ashtabula, OH**  
 Waterway: **Ashtabula River** Mile: PWD: 17  
 Name: **R.W. Sidley, Ashtabula Dock.**  
 Location: Inner harbor, right bank, Ashtabula River, approximately 200 feet below 5th Street Bridge, Ashtabula. Datum: LWD  
 Operator: Not operated.  
 Owner: R.W. Sidley, Inc.  
 Address: 508 Front Street. Phone: 440-352-9343  
 Town: Ashtabula State: OH County: Ashtabula  
 Railway Connection: None.  
 Purpose: Not used.  
 Depth Alongside (feet): 3 | | Latitude (decimal): 41.901389  
 Total Berthing Space (feet): 350 | | Longitude (decimal): -80.79806  
 Remarks: Open storage area located in rear has capacity for 60,000 tons of limestone.  
 Year of Last Survey: 2001 Corps of Eng'rs Waterway Code: 72101 Dock Code: 177 Buffalo District

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Ashtabula, OH**  
 Waterway: **Ashtabula River** Mile: PWD: 18  
 Name: **U.S. Coast Guard, Ashtabula Station Wharf.**  
 Location: Inner harbor, right bank, Ashtabula River, approximately 600 feet below 5th Street Bridge, Ashtabula. Datum: LWD  
 Operator: U.S. Coast Guard.  
 Owner: U.S. Government.  
 Address: 1 Front Street. Phone: 440-964-8214  
 Town: Ashtabula State: OH County: Ashtabula  
 Railway Connection: None.  
 Purpose: Mooring U.S. Coast Guard vessels.  
 Depth Alongside (feet): 2 - 3 | 2 - 3 | 2 - 3 Latitude (decimal): 41.903056  
 Total Berthing Space (feet): 91 | | Longitude (decimal): -80.79778  
 Remarks: North side of wharf forms 37-foot wide slip with a parallel, 62-foot, steel sheet pile bulkhead along north side. Small craft boathouse with launching ramp is located at head of slip. A 53- by 1-foot, steel pile, timber catwalk extends from boathouse parallel to sides of slip. U.S. Coast Guard station and equipment buildings are located in rear. Plans call for U.S. Coast Guard vessels to moor along concrete-capped steel sheet pile bulkhead on oppositeside of Ashtabula River owned by Ashtabula Port Authority.

Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 72101 Dock Code: 180

Port: **Conneaut, OH**  
 Waterway: **Inner Harbor (Conneaut River)** Mile: PWD: 10  
 Name: **The Pittsburgh & Conneaut Dock Co., Dock No. 1 Extension.**  
 Location: Inner Harbor, left bank, near mouth of Conneaut River, Conneaut. Datum: LWD  
 Operator: The Pittsburgh & Conneaut Dock Co.  
 Owner: Bessemer and Lake Erie Railroad Co.  
 Address: Lakeside Road extended. Phone: 440/593-1102  
 Town: Conneaut State: OH County: Ashtabula  
 Railway Connection: Bessemer and Lake Erie Railroad Co.: two surface tracks along rear of face; total length 3,600 feet.  
 Purpose: Receipt of limestone by self-unloading vessels.  
 Depth Alongside (feet): 22 - 27 | | Latitude (decimal): 41.969444  
 Total Berthing Space (feet): 1,974 | | Longitude (decimal): -80.54917  
 Remarks: Two self-unloading vessels can discharge simultaneously. Open storage area in rear has capacity for 600,000 tons of limestone. Wharf equipped with one 2-inch compressed air line. Outer 300 feet of wharf is owned by the U.S. Government.

Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 72108 Dock Code: 020 Buffalo District

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Conneaut, OH**  
 Waterway: **Inner Harbor (Conneaut River)** Mile: PWD: 11  
 Name: **The Pittsburgh & Conneaut Dock Co., Dock No. 1.**  
 Location: Inner Harbor, left bank, Conneaut River, west side of turning basin, Conneaut. Datum: LWD  
 Operator: The Pittsburgh & Conneaut Dock Co.  
 Owner: Bessemer and Lake Erie Railroad Co.  
 Address: Park Avenue extended. Phone: 440/593-1102  
 Town: Conneaut State: OH County: Ashtabula  
 Railway Connection: Bessemer and Lake Erie Railroad Co.: surface tracks along rear of face; and one surface track in rear joins with trackage described under Ref. No. 10.  
 Purpose: Receipt of stone, aggregate, and bulk dolomite by vessel.  
 Depth Alongside (feet): 27 - 28 | | Latitude (decimal): 41.966667  
 Total Berthing Space (feet): 458 | | Longitude (decimal): -80.54861  
 Remarks: Use of storage area described under Ref. No. 10. Wharf is equipped with one 2-inch compressed air line.  
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72108 Dock Code: 030 Buffalo District

---

Port: **Conneaut, OH**  
 Waterway: **Inner Harbor (Conneaut River)** Mile: PWD: 13  
 Name: **The Pittsburgh & Conneaut Dock Co., Dock No. 2.**  
 Location: West side of slip, south of turning basin, Conneaut. Datum: LWD  
 Operator: Not Operated.  
 Owner: Bessemer and Lake Erie Railroad Co.  
 Address: Erie Avenue extended. Phone: 440/593-1102  
 Town: Conneaut State: OH County: Ashtabula  
 Railway Connection: Bessemer and Lake Erie Railroad Co.: one 1,150-foot surface track extends at rear.  
 Purpose: Not Used.  
 Depth Alongside (feet): 18 | 18 | Latitude (decimal): 41.963611  
 Total Berthing Space (feet): 1,233 | 105 | Longitude (decimal): -80.5475  
 Remarks: -  
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72108 Dock Code: 038

---



## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Conneaut, OH**  
 Waterway: **Inner Harbor (Conneaut River)** Mile: PWD: 14  
 Name: **The Pittsburgh & Conneaut Dock Co., Dock No. 3.**  
 Location: East side of slip, south of turning basin, Conneaut. Datum: LWD  
 Operator: The Pittsburgh & Conneaut Dock Co.  
 Owner: Bessemer and Lake Erie Railroad Co.  
 Address: Erie Avenue extended. Phone: 440/593-1102  
 Town: Conneaut State: OH County: Ashtabula  
 Railway Connection: Bessemer and Lake Erie Railroad Co.: three surface tracks join with additional yard tracks and nearby 450-car capacity storage yard served by a rotary car dumper.  
 Purpose: Shipment of coal.  
 Depth Alongside (feet): 27 - 28 | | Latitude (decimal): 41.963889  
 Total Berthing Space (feet): 1,250 | | Longitude (decimal): -80.54694  
 Remarks: open storage area at rear. Open storage area is also served by two, electric, traveling, coal stackers for use in reclaiming, rate 4,000 tons per hour each; and one, electric, traveling, bucket wheel reclaimer, rate approximately 4,000 tons per hour. Coal loaders on wharf are also served by a 72-inch electric, belt-conveyor system extending from an additional 3,500,000-ton storage area located east of the Conneaut River served by one electric, traveling, coalstacker, rate approximately 6,000 tons per hour; and one electric, traveling, bucket-wheel reclaimer, rate approximately 6,000 tons per hour.  
 Year of Last Survey: 2001 Corps of Eng'rs Waterway Code: 72108 Dock Code: 040 Buffalo District

Port: **Conneaut, OH**  
 Waterway: **Inner Harbor (Conneaut River)** Mile: PWD: 15  
 Name: **The Pittsburgh & Conneaut Dock Co., Dock No. 4.**  
 Location: Inner Harbor, right bank, Conneaut River, near entrance, Conneaut. Datum: LWD  
 Operator: The Pittsburgh & Conneaut Dock Co.  
 Owner: The Pittsburgh & Conneaut Dock Co.  
 Address: Park Avenue extended. Phone: 440/593-1102  
 Town: Conneaut State: OH County: Ashtabula  
 Railway Connection: Bessemer and Lake Erie Railroad Co.: Two surface tracks serve one 5,000-ton per hour car-loading station; join additional trackage in rear.  
 Purpose: Receipt of iron ore and limestone.  
 Depth Alongside (feet): 27 | 28 | | Latitude (decimal): 41.968889  
 Total Berthing Space (feet): 1,228 | 850 | | Longitude (decimal): -80.5475  
 Remarks: Idle mooring for vessels is available along the west side of the East Pier which extends from outer end in line with face. Open storage areas have a combined capacity for 3,500,000 tons of iron ore pellets.  
 Year of Last Survey: 2001 Corps of Eng'rs Waterway Code: 72108 Dock Code: 050 Buffalo District

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Conneaut, OH**  
 Waterway: **Inner Harbor (Conneaut River)** Mile: PWD: 12  
 Name: **The Pittsburgh & Conneaut Dock Co., Perry Dock.**  
 Location: Left bank, Conneaut River, southwest side of turning basin, Conneaut. Datum: LWD  
 Operator: Not operated.  
 Owner: Bessemer and Lake Erie Railroad Co.  
 Address: Park Avenue extended. Phone: 440/593-1102  
 Town: Conneaut State: OH County: Ashtabula  
 Railway Connection: Bessemer and Lake Erie Railroad Co.: two surface tracks along rear of 329-foot section of wharf.  
 Purpose: Not used.  
 Depth Alongside (feet): 18 - 20 | | Latitude (decimal): 41.965833  
 Total Berthing Space (feet): 438 | | Longitude (decimal): -80.54889  
 Remarks: -  
 Year of Last Survey: 2001 Corps of Eng'rs Waterway Code: 72108 Dock Code: 035

---

Port: **Erie, PA**  
 Waterway: **Presque Isle Bay** Mile: PWD: 1  
 Name: **Erie International Marine Terminal, Berths Nos. 1, 2, and 3.**  
 Location: South side of Presque Isle Bay, between foot of Reed and Wallace Streets extended, Erie. Datum: LWD  
 Operator: Mountfort Terminal, Ltd.  
 Owner: Erie-Western Pennsylvania Port Authority.  
 Address: 2 East Bay Drive. Phone: 814/455-7557 ext  
 Town: Erie State: PA County: Erie  
 Railway Connection: Two connecting surface tracks on apron and one platform-level track along rear of Transit Shed No. 1; connect with CSX Transportation, Inc.  
 Purpose: Receipt and shipment of machinery, steel products, and vehicles; receipt and shipment of miscellaneous dry bulk commodities including crushed stone, salt, pig iron, and gypsum.  
 Depth Alongside (feet): 23 - 26 | | Latitude (decimal): 42.149444  
 Total Berthing Space (feet): 1,508 | | Longitude (decimal): -80.0825  
 Remarks: Trucks have access to interior of transit sheds and to wharf apron. A concrete ramp extends to loading platform along rear of Transit Shed No. 1. A truck scale is located near entrance to terminal. Approximately 22 acres of paved, open storage area are located at rear of wharf. Transit Shed No. 1 is also used as a storage warehouse during the closed navigation season. Transit Shed No. 2, used primarily for storage of dry bulk commodities, has capacity for 15,000 tons.  
 Year of Last Survey: 2001 Corps of Eng'rs Waterway Code: 72122 Dock Code: 010 Buffalo District

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Erie, PA**  
 Waterway: **Presque Isle Bay** Mile: PWD: 2  
 Name: **Erie Sand & Gravel Co., Parade Street Wharf.**  
 Location: South side of Presque Isle Bay, west of foot of Parade Street extended, Erie. Datum: LWD  
 Operator: Erie Sand & Gravel Co.  
 Owner: Erie-Western Pennsylvania Port Authority.  
 Address: 2 East Bay Drive. Phone: 814/453-6721  
 Town: Erie State: PA County: Erie  
 Railway Connection: None.  
 Purpose: Receipt of salt and sand; mooring vessels.  
 Depth Alongside (feet): 24 - 27 | | Latitude (decimal): 42.140278  
 Total Berthing Space (feet): 1,220 | | Longitude (decimal): -80.08278  
 Remarks: Wharf forms slip with east side of Ref. No. 3. Approximately 12 acres of paved, open storage area with capacity for 500,000 tons of sand are located at rear.

Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 72122 Dock Code: 115 Buffalo District

Port: **Erie, PA**  
 Waterway: **Presque Isle Bay** Mile: PWD: 6  
 Name: **Erie-Western Pennsylvania Port Authority, Dobbins Landing Dock.**  
 Location: South side of Presque Isle Bay, foot of State Street, Erie. Datum: LWD  
 Operator: Erie-Western Pennsylvania Port Authority.  
 Owner: Erie-Western Pennsylvania Port Authority.  
 Address: Foot of State Street. Phone: 814/455-7557 ext  
 Town: Erie State: PA County: Erie  
 Railway Connection: None.  
 Purpose: Mooring excursion boats, transient vessels, and other types of small vessels.  
 Depth Alongside (feet): 18 | 9 - 15 | 9 - 18 Latitude (decimal): 42.138889  
 Total Berthing Space (feet): 100 | 543 | 543 Longitude (decimal): -80.09139  
 Remarks: Bicentennial Tower is located at end of pier. Victorian Princess Cruise Lines, Inc. operates The Empress and Victorian Princess along east side. Presque Island Aquabus operates from Dobbins Landing to Liberty Park and Presque Isle State Park. Plans call for excursion vessels to move to Perry's Landing in 2001. Restaurants and parking lot are located on pier.

Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 72122 Dock Code: 140 Buffalo District

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Erie, PA**  
Waterway: **Presque Isle Bay** Mile: PWD: 7  
Name: **Erie-Western Pennsylvania Port Authority, Sassafras Street Pier.**  
Location: South side of Presque Isle Bay, foot of Sassafras Street extended, Erie. Datum: LWD  
Operator: Erie-Western Pennsylvania Port Authority.  
Owner: Erie-Western Pennsylvania Port Authority.  
Address: Foot of Sassafras Street. Phone: 814/455-7557 ext  
Town: Erie State: PA County: Erie  
Railway Connection: None.  
Purpose: Mooring vessels.  
Depth Alongside (feet): 19 - 21 | 14 - 21 | 12 Latitude (decimal): 42.136389  
Total Berthing Space (feet): 305 | 1,031 | Longitude (decimal): -80.09306  
Remarks: -  
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 72122 Dock Code: 150 Buffalo District

---

Port: **Erie, PA**  
Waterway: **Presque Isle Bay** Mile: PWD: 3  
Name: **Metro Machine of Pennsylvania, East Slip.**  
Location: South side of Presque Isle Bay, east of foot of German Street extended, Erie. Datum: LWD  
Operator: Metro Machine of Pennsylvania, Inc.  
Owner: Erie-Western Pennsylvania Port Authority.  
Address: Phone: 814/461-7205  
Town: Erie State: PA County: Erie  
Railway Connection: None.  
Purpose: Mooring vessels for outfitting, conversion, and repair.  
Depth Alongside (feet): 18 - 24 | 22 - 24 | Latitude (decimal): 42.140833  
Total Berthing Space (feet): | 1,250 | Longitude (decimal): -80.08389  
Remarks: Graving dock 130 feet wide and 1,250 feet long is located west of slip.  
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 72122 Dock Code: 120 Buffalo District

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Erie, PA**  
 Waterway: **Presque Isle Bay** Mile: PWD: 4  
 Name: **Metro Machine of Pennsylvania, West Slip.**  
 Location: South side of Presque Isle Bay, between foot of German and Holland Streets extended, Erie. Datum: LWD  
 Operator: Metro Machine of Pennsylvania, Inc.  
 Owner: Erie-Western Pennsylvania Port Authority.  
 Address: Phone: 814/461-7205  
 Town: Erie State: PA County: Erie  
 Railway Connection: None.  
 Purpose: Mooring vessels for outfitting, conversion, and repair.  
 Depth Alongside (feet): 20 - 28 | 12 - 30 | Latitude (decimal): 42.139722  
 Total Berthing Space (feet): 340 | 1,120 | Longitude (decimal): -80.08583  
 Remarks: Pier is equipped with compressed air line. Buildings on west side of pier are used for offices, machine shop, and warehouse. One 86,416-square foot fabrication building is served by two 20- and one 5-ton, overhead cranes. One 73,492-square foot assembly building is served by one 100- and one 20-ton, overhead cranes; assembly building is located at inner end of graving dock. West side of pier forms 202-foot wide slip.

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72122 Dock Code: 120 Buffalo District

Port: **Erie, PA**  
 Waterway: **Presque Isle Bay** Mile: PWD: 5  
 Name: **State Street Pier, East Extension.**  
 Location: South side of Presque Isle Bay, east of foot of State Street, Erie. Datum: LWD  
 Operator: Anchor Marine, Ltd.  
 Owner: Erie-Western Pennsylvania Port Authority.  
 Address: 5 State Street. Phone: 814/452-1717  
 Town: Erie State: PA County: Erie  
 Railway Connection: None.  
 Purpose: Mooring and repairing recreational craft and other types of small vessels.  
 Depth Alongside (feet): 7 - 10 | 12 | 6 - 7 Latitude (decimal): 42.138056  
 Total Berthing Space (feet): 675 | 310 | 700 Longitude (decimal): -80.08917  
 Remarks: Additional berthing on south side is available at a number of slips and at several small timber and concrete piers; south side forms north side of East Canal Basin. Lund Boat Works, Inc. operates a 40-ton marine railway; Anchor Marine, Ltd. operates a 40-ton vertical boat lift. Bayshore Marine Services operates a 25-ton vertical boat lift. The south side of East Canal Basin is used for mooring recreational craft.

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72122 Dock Code: 125

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Erie, PA**  
Waterway: **Presque Isle Bay** Mile: PWD: 9  
Name: **U.S. Coast Guard, Erie Station, Horseshoe Pond Piers.**  
Location: Presque Isle, south side of Horseshoe Pond, Erie. Datum: LWD  
Operator: U.S. Coast Guard and State of Pennsylvania Game Commission.  
Owner: United States Government.  
Address: 1 Coast Guard Road. Phone: 814/838-2098  
Town: Erie State: PA County: Erie  
Railway Connection: None.  
Purpose: Mooring small U.S. Coast Guard vessels and state-owned patrol boats.  
Depth Alongside (feet): 4 | 4 | Latitude (decimal): 42.154444  
Total Berthing Space (feet): 200 | 180 | Longitude (decimal): -80.07833  
Remarks: -  
Year of Last Survey: 2001 Corps of Eng'rs Waterway Code: 72122 Dock Code: 155

---

Port: **Erie, PA**  
Waterway: **Presque Isle Bay** Mile: PWD: 8  
Name: **U.S. Coast Guard, Erie Station, North Piers.**  
Location: Presque Isle, north side of entrance to Erie Harbor, Erie. Datum: LWD  
Operator: U.S. Coast Guard.  
Owner: United States Government.  
Address: 1 Coast Guard Road. Phone: 814/838-2098  
Town: Erie State: PA County: Erie  
Railway Connection: None.  
Purpose: Mooring U.S. Coast Guard vessels.  
Depth Alongside (feet): 7 | | Latitude (decimal): 42.152778  
Total Berthing Space (feet): 240 | | Longitude (decimal): -80.07889  
Remarks: Station office, supply, and garage buildings are located in rear; plans call for the installation of a vertical boat lift.  
Year of Last Survey: 2001 Corps of Eng'rs Waterway Code: 72122 Dock Code: 155

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Fairport Harbor, OH**  
 Waterway: **Grand River** Mile: PWD: 32  
 Name: **LTV Steel Co., Fairport Harbor Dock.**  
 Location: Left bank, Grand River, approximately 0.7 mile above outer end of West Pier at mouth of river, Fairport Datum: LWD  
 Operator: LTV Steel Co.  
 Owner: LTV Steel Co.  
 Address: 15 Williams Street. Phone: 440-354-1309  
 Town: Grand River State: OH County: Lake  
 Railway Connection: One surface track serves plant in rear; connects with CSX Transportation, Inc.  
 Purpose: Receipt of limestone by self-unloading vessels.  
 Depth Alongside (feet): 24 | | Latitude (decimal): 41.751944  
 Total Berthing Space (feet): 1,700 | | Longitude (decimal): -81.28083  
 Remarks: Open storage area located at rear has capacity for 400,000 tons of limestone and is served by a 350-foot long concrete tunnel with 8 intake hoppers and two 24-inch wide, electric conveyor belts connecting with a 100-foot long transfer belt extending to plant in rear; rate 130 tons per hour. Six lime storage silos at plant have total capacity for 1,700 tons.  
 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 72088 Dock Code: 059 Buffalo District

Port: **Fairport Harbor, OH**  
 Waterway: **Grand River** Mile: PWD: 31  
 Name: **Morton Salt Co., Fairport Harbor Dock.**  
 Location: Left bank, Grand River, approximately 0.5 mile above outer end of West Pier at mouth of river, Fairport Datum: LWD  
 Operator: Morton Salt Co., a Rohm and Haas Co.  
 Owner: Morton Salt Co., a Rohm and Haas Co.  
 Address: Phone: 440-639-4260  
 Town: Grand River State: OH County: Lake  
 Railway Connection: Three surface tracks serve plant in rear; connect with CSX Transportation, Inc.  
 Purpose: Shipment of bulk salt.  
 Depth Alongside (feet): 24 | | Latitude (decimal): 41.754167  
 Total Berthing Space (feet): 600 | | Longitude (decimal): -81.28056  
 Remarks: Twelve concrete storage silos located at plant in rear have total capacity for 12,000 tons of salt. Open storage area located in rear has capacity for 250,000 tons of salt. Salt mine in rear extends under Lake Erie.  
 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 72088 Dock Code: 028 Buffalo District

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Fairport Harbor, OH**  
 Waterway: **Grand River** Mile: PWD: 37  
 Name: **Northeastern Road Improvement Co., Fairport Harbor Dock.**  
 Location: Right bank, Grand River, foot of Third Street extended, Fairport Harbor. Datum: LWD  
 Operator: Northeastern Road Improvement Co.  
 Owner: Northeastern Road Improvement Co.  
 Address: 129 Water Street. Phone: 440-354-3541  
 Town: Fairport Harbor State: OH County: Lake  
 Railway Connection: None.  
 Purpose: Receipt of limestone by self-unloading vessels.  
 Depth Alongside (feet): 15 - 20 | | Latitude (decimal): 41.755556  
 Total Berthing Space (feet): 1,000 | | Longitude (decimal): -81.27972  
 Remarks: Open storage area located at rear has capacity for 150,000 tons of limestone.  
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72088 Dock Code: 160 Buffalo District

Port: **Fairport Harbor, OH**  
 Waterway: **Grand River** Mile: PWD: 33  
 Name: **Osborne Concrete & Stone Co., Fairport Harbor Dock.**  
 Location: Left bank, Grand River, west side of Turning Basin, Fairport Harbor. Datum: LWD  
 Operator: Osborne Concrete & Stone Co.  
 Owner: Osborne Concrete & Stone Co.  
 Address: Williams Street. Phone: 440-357-5562  
 Town: Grand River State: OH County: Lake  
 Railway Connection: One surface track serves plant in rear; connects with CSX Transportation, Inc.  
 Purpose: Receipt of sand and limestone by self-unloading vessels.  
 Depth Alongside (feet): 15 | | Latitude (decimal): 41.7475  
 Total Berthing Space (feet): 1450 | | Longitude (decimal): -81.28417  
 Remarks: Asphalt and ready-mix concrete plants are located in rear. Open storage area at rear have capacity for 100,000 tons of material.  
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72088 Dock Code: 060 Buffalo District



## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Fairport Harbor, OH**  
 Waterway: **Grand River** Mile: PWD: 34  
 Name: **Osborne Concrete & Stone Co., Fairport Harbor Mooring Wharf.**  
 Location: Left bank, Grand River, approximately 400 feet above Turning Basin, Fairport Harbor. Datum: LWD  
 Operator: Osborne Concrete & Stone Co.  
 Owner: Jerome T. and Georgeanne Osborne.  
 Address: Williams Street. Phone: 440-357-5562  
 Town: Grand River State: OH County: Lake  
 Railway Connection: None.  
 Purpose: Mooring company-owned floating equipment.  
 Depth Alongside (feet): 10 - 13 | | Latitude (decimal): 41.745  
 Total Berthing Space (feet): 615 | | Longitude (decimal): -81.28194  
 Remarks: -

Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 72088 Dock Code: 060 Buffalo District

Port: **Fairport Harbor, OH**  
 Waterway: **Grand River** Mile: PWD: 36  
 Name: **Osborne Concrete & Stone Co., Fairport Harbor Wharf.**  
 Location: Right bank, Grand River, approximately 0.3 mile above Turning Basin, Fairport Harbor. Datum: LWD  
 Operator: Osborne Concrete & Stone Co.  
 Owner: Osborne Concrete & Stone Co.  
 Address: Williams Street. Phone: 440-357-5562  
 Town: Fairport Harbor State: OH County: Lake  
 Railway Connection: None.  
 Purpose: Receipt of limestone by self-unloading vessels.  
 Depth Alongside (feet): 17 | | Latitude (decimal): 41.743333  
 Total Berthing Space (feet): 1,500 | | Longitude (decimal): -81.28  
 Remarks: Open storage area located at rear has capacity for 100,000 tons of limestone.

Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 72088 Dock Code: 060 Buffalo District

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Fairport Harbor, OH**  
 Waterway: **Grand River** Mile: PWD: 30  
 Name: **R.W. Sidley and Grand River Asphalt Co. Dock.**  
 Location: Left bank, Grand River, approximately 0.3 mile above outer end of West Pier at mouth of river, Fairport Datum: LWD  
 Operator: R.W. Sidley, Inc. and Grand River Asphalt Co.  
 Owner: R.W. Sidley, Inc.  
 Address: 1 Coast Guard Road. Phone: 440-352-9343  
 Town: Grand River State: OH County: Lake  
 Railway Connection: None.  
 Purpose: Receipt of limestone by self-unloading vessels.  
 Depth Alongside (feet): 18 - 22 | | Latitude (decimal): 41.757778  
 Total Berthing Space (feet): 1,540 | | Longitude (decimal): -81.28083  
 Remarks: R.W. Sidley, Inc.: Open storage area located in rear has capacity for 100,000 tons of limestone.  
 Grand River Asphalt Co.: Open storage area located in rear has capacity for 40,000 tons of limestone.  
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72088 Dock Code: 025 Buffalo District

---

Port: **Fairport Harbor, OH**  
 Waterway: **Grand River** Mile: PWD: 35  
 Name: **Rutherford's Landing Piers.**  
 Location: Left bank, Grand River, foot of Hollon Street extended, Fairport Harbor. Datum: LWD  
 Operator: Rutherford's Landing.  
 Owner: Mary Ann Rutherford.  
 Address: 311 River Street. Phone: 440-352-8122  
 Town: Grand River State: OH County: Lake  
 Railway Connection: None.  
 Purpose: Mooring small vessels.  
 Depth Alongside (feet): 4 | | Latitude (decimal): 41.740278  
 Total Berthing Space (feet): | | Longitude (decimal): -81.27972  
 Remarks: One 14-ton vertical boat lift is located at upper side. Finger piers extend from each side of the three piers.  
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72088 Dock Code: 072 Buffalo District

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Fairport Harbor, OH**  
Waterway: **Grand River** Mile: PWD: 38  
Name: **Union Sand & Supply Corp., Fairport Harbor Dock.**  
Location: Right bank, Grand River, foot of Second Street extended, Fairport Harbor. Datum: LWD  
Operator: The Union Sand & Supply Corp.  
Owner: The Union Sand & Supply Corp.  
Address: 111 Water Street. Phone: 440-354-3777  
Town: Fairport Harbor State: OH County: Lake  
Railway Connection: None.  
Purpose: Receipt of limestone and sand by self-unloading vessels.  
Depth Alongside (feet): 15 - 23 | | Latitude (decimal): 41.7575  
Total Berthing Space (feet): 1,119 | | Longitude (decimal): -81.27972  
Remarks: Ready-mix concrete plant and open storage area with capacity for approximately 100,000 tons of material are located at rear.  
Year of Last Survey: 2001 Corps of Eng'rs Waterway Code: 72088 Dock Code: 150 Buffalo District

---

Port: **Fairport Harbor, OH**  
Waterway: **Grand River** Mile: PWD: 29  
Name: **United States Coast Guard Station, Fairport Harbor Boat Slip.**  
Location: Left bank, Grand River, approximately 500 feet above outer end of West Pier at mouth of river, Fairport Datum: LWD  
Operator: U.S. Coast Guard.  
Owner: United States Government.  
Address: 2 Coast Guard Road. Phone: 440-352-3112  
Town: Grand River State: OH County: Lake  
Railway Connection: None.  
Purpose: Mooring U.S. Coast Guard vessels.  
Depth Alongside (feet): 3 - 10 | 10 - 12 | 3 - 10 Latitude (decimal): 41.76  
Total Berthing Space (feet): | 50 | 75 Longitude (decimal): -81.28083  
Remarks: Concrete launching ramp extends from boat house in rear to inner end of slip; two 65-foot steel catwalks extend from inner end parallel with sides. A 495-foot, steel sheet pile, cellular bulkhead below entrance to slip is occasionally used for mooring miscellaneous Federal- and state-owned vessels.  
Year of Last Survey: 2001 Corps of Eng'rs Waterway Code: 72088 Dock Code: 020

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Huron, OH**  
 Waterway: **Huron Harbor** Mile: PWD: 52  
 Name: **Huron Lime Co., Stone Dock.**  
 Location: Huron Harbor, east side of mouth of Huron River, and outer east side of Slip No. 1, Datum: LWD  
 Huron.  
 Operator: Huron Lime Co.  
 Owner: Norfolk Southern Corp.  
 Address: 100 Meeker Street. Phone: 419/433-2141  
 Town: Huron State: OH County: Erie  
 Railway Connection: Norfolk Southern Corp.: Two surface tracks serve plant in rear and one serves inactive rotary dumper at rear of wharf.  
 Purpose: Receipt of limestone by self-unloading vessels.  
 Depth Alongside (feet): 16 - 17 | 16 - 24 | 24 - 28 Latitude (decimal): 41.397778  
 Total Berthing Space (feet): | 300 | 425 Longitude (decimal): -82.54889  
 Remarks: Open storage area located at rear has capacity for 250,000 tons of limestone; five steel silos at lime manufacturing plant in rear have total capacity for 1,800 tons of lime.  
 Year of Last Survey: 2001 Corps of Eng'rs Waterway Code: 72051 Dock Code: 074 Buffalo District

---

Port: **Huron, OH**  
 Waterway: **Huron Harbor** Mile: PWD: 49  
 Name: **Peavey Co, Huron Elevator Wharf.**  
 Location: Huron Harbor, mouth of Huron River, west side of Slip No. 2, Huron. Datum: LWD  
 Operator: Peavey Co.  
 Owner: Peavey Co.  
 Address: 41 Cleveland Road East. Phone: 419/433-4900  
 Town: Huron State: OH County: Erie  
 Railway Connection: Three surface tracks serve car dumper, one surface track serves carloading spout; 5 surface tracks serve interior of car shed at west side of elevator; connect with Norfolk Southern Corp.  
 Purpose: Occasional receipt and shipment of grain by self-unloading vessels.  
 Depth Alongside (feet): 27 | 18 - 24 | Latitude (decimal): 41.393333  
 Total Berthing Space (feet): 832 | | Longitude (decimal): -82.55194  
 Remarks: Grain elevator located at rear of face has storage capacity for 2,300,000 bushels.  
 Year of Last Survey: 2001 Corps of Eng'rs Waterway Code: 72051 Dock Code: 050 Buffalo District

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Huron, OH**  
Waterway: **Huron Harbor** Mile: PWD: 48  
Name: **U.S. Army Corps of Engineers Huron Harbor Dredge Pump-Out Facility**  
Location: Outer Huron Harbor, mouth of Huron River, east side of center section of West Pier, Huron. Datum: LWD  
Operator: U.S. Army Corps of Engineers.  
Owner: United States Government.  
Address: Foot of Wall Street. Phone: 216 522-4957  
Town: Huron State: OH County: Erie  
Railway Connection: None.  
Purpose: Occasional mooring dredges for discharge of dredged material into spoil area on opposite side of West Pier.  
Depth Alongside (feet): 15 - 25 | | Latitude (decimal): 41.400556  
Total Berthing Space (feet): 900 | | Longitude (decimal): -82.5475  
Remarks: A 68-acre, semi-circular diked disposal area is located on opposite side of West Pier.  
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72051 Dock Code: 025

---

Port: **Huron, OH**  
Waterway: **Huron Harbor** Mile: PWD: 51  
Name: **W.L.H. Rentals, Huron Ore Dock Mooring Wharf.**  
Location: Huron Harbor, mouth of Huron River, west side of Slip No. 1, Huron. Datum: LWD  
Operator: W.L.H. Rentals, dba Huron Ore Dock.  
Owner: Norfolk Southern Corp.  
Address: Phone: 419/635-2790  
Town: Huron State: OH County: Erie  
Railway Connection: Wheeling & Lake Erie Railway Co.: One surface track at rear of face, joins with tracks described under Ref. No. 50, connect with Norfolk Southern Corp.  
Purpose: Occasional mooring vessels.  
Depth Alongside (feet): 16 | | Latitude (decimal): 41.396111  
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -82.55083  
Remarks: -  
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72051 Dock Code: 065 Buffalo District

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Huron, OH**  
Waterway: **Huron Harbor** Mile: PWD: 50  
Name: **W.L.H. Rentals, Huron Ore Dock Ore Wharf.**  
Location: Huron Harbor, mouth of Huron River, east side of Slip No. 2, Huron. Datum: LWD  
Operator: W.L.H. Rentals, dba Huron Ore Dock.  
Owner: Norfolk Southern Corp.  
Address: Phone: 419/635-2790  
Town: Huron State: OH County: Erie  
Railway Connection: Wheeling & Lake Erie Railway Co.: Three marginal surface tracks along rear of face, total capacity 120 cars, connect with Norfolk Southern Corp.  
Purpose: Receipt of iron ore by self-unloading vessels.  
Depth Alongside (feet): 26 - 27 | | Latitude (decimal): 41.394167  
Total Berthing Space (feet): 1,400 | | Longitude (decimal): -82.55111  
Remarks: Open storage area located at rear has capacity for 500,000 tons of iron ore.  
Year of Last Survey: 2001 Corps of Eng'rs Waterway Code: 72051 Dock Code: 060 Buffalo District

---

Port: **Lorain, OH**  
Waterway: **Black River** Mile: PWD: 41  
Name: **American Metal Chemical Corp., Lorain Wharf.**  
Location: Left bank, Black River, below Norfolk Southern Corp. Bridge, Lorain. Datum: LWD  
Operator: American Metal Chemical Corp.  
Owner: American Metal Chemical Corp.  
Address: 200 East Ninth Street. Phone: 440-244-9577  
Town: Lorain State: OH County: Lorain  
Railway Connection: None.  
Purpose: Receipt of salt and potash by self-unloading vessels.  
Depth Alongside (feet): 10 | | Latitude (decimal): 41.464167  
Total Berthing Space (feet): 880 | | Longitude (decimal): -82.17  
Remarks: Two domes located at rear have total capacity for 27,000 tons of potash or salt.  
Year of Last Survey: 2001 Corps of Eng'rs Waterway Code: 72060 Dock Code: 065

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Lorain, OH**  
 Waterway: **Black River** Mile: PWD: 45  
 Name: **Jonick & Co, Lorain Wharf.**  
 Location: Right bank, Black River, above Norfolk Southern Corp. Bridge, Lorain. Datum: LWD  
 Operator: Jonick & Co., Inc.  
 Owner: Jonick & Co., Inc.  
 Address: 1840 Idaho Ave. Phone: 440-288-0251  
 Town: Lorain State: OH County: Lorain  
 Railway Connection: None.  
 Purpose: Receipt of crushed stone by self-unloading vessels. Occasional receipt of miscellaneous bulk materials.  
 Depth Alongside (feet): 12 - 15 | 27 | Latitude (decimal): 41.463056  
 Total Berthing Space (feet): 80 | 300 | Longitude (decimal): -82.16306  
 Remarks: Approximately 18 acres of open storage area are located at rear of wharf with capacity for 12,000 tons of material. Storage building has capacity for 40,000 tons of bulk materials to include potash and mill scale.  
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72060 Dock Code: 087

---

Port: **Lorain, OH**  
 Waterway: **Black River** Mile: PWD: 39  
 Name: **Lorain Pellet Terminal Mooring Basin.**  
 Location: Outer harbor, west of entrance to Black River, Lorain. Datum: LWD  
 Operator: Lorain Pellet Terminal Co.  
 Owner: Lorain Pellet Terminal Co.  
 Address: 203 North Broadway Phone: 440-244-2324  
 Town: Lorain State: OH County: Lorain  
 Railway Connection: None.  
 Purpose: Mooring vessels awaiting berth at Ref. No. 40.  
 Depth Alongside (feet): 23 - 25 | 25 | 20 - 23 Latitude (decimal): 41.471667  
 Total Berthing Space (feet): | 1,095 | 1,090 Longitude (decimal): -82.18472  
 Remarks: -  
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72060 Dock Code: 035

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Lorain, OH**  
 Waterway: **Black River** Mile: PWD: 40  
 Name: **Lorain Pellet Terminal Wharf.**  
 Location: Left bank, Black River, below Erie Avenue Bridge, Lorain. Datum: LWD  
 Operator: Lorain Pellet Terminal Co.  
 Owner: Lorain Pellet Terminal Co.  
 Address: 203 North Broadway Phone: 440-244-2324  
 Town: Lorain State: OH County: Lorain  
 Railway Connection: Two marginal surface tracks along inner end and one along outer end serving rail car-loading facility were not in use at time of survey.  
 Purpose: Receipt of iron ore pellets by self-unloading vessels; shipment by smaller vessel.  
 Depth Alongside (feet): 27 | | Latitude (decimal): 41.470833  
 Total Berthing Space (feet): 2,200 | | Longitude (decimal): -82.18222  
 Remarks: Four separate concrete-walled storage areas at rear of face have total capacity for 532,000 long tons of iron ore pellets.  
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72060 Dock Code: 060 Buffalo District

---

Port: **Lorain, OH**  
 Waterway: **Black River** Mile: PWD: 44  
 Name: **National Gypsum Co., Lorain Plant Wharf.**  
 Location: Right bank, Black River, approximately 1,500 feet above 21st Street Bridge, Lorain. Datum: LWD  
 Operator: National Gypsum Co., Gold Bond Building Products Division.  
 Owner: National Gypsum Co., Gold Bond Building Products Division.  
 Address: 1901 Henderson Drive. Phone: 440/288-9101  
 Town: Lorain State: OH County: Lorain  
 Railway Connection: None.  
 Purpose: Receipt of gypsum rock by self-unloading vessels.  
 Depth Alongside (feet): 20 | | Latitude (decimal): 41.456389  
 Total Berthing Space (feet): 750 | | Longitude (decimal): -82.15472  
 Remarks: Open storage area located at rear of wharf has capacity for 120,000 tons of gypsum rock.  
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72060 Dock Code: 140 Buffalo District

---



## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Lorain, OH**  
 Waterway: **Black River** Mile: PWD: 42  
 Name: **Republic Technologies International, Lorain Works, Coke Breeze Doc**  
 Location: Left bank, Black River, approximately 0.3 mile above 21st Street Bridge. Lorain. Datum: LWD  
 Operator: Not operated.  
 Owner: Republic Technologies International.  
 Address: 1807 East 28th Street. Phone: 440-277-2700  
 Town: Lorain State: OH County: Lorain  
 Railway Connection: Plant trackage in rear connects with Norfolk Southern Corp.  
 Purpose: Not used.  
 Depth Alongside (feet): 20 | | Latitude (decimal): 41.454167  
 Total Berthing Space (feet): 220 | | Longitude (decimal): -82.15556  
 Remarks: Dock was formerly used for handling coke breeze. Open storage area located in rear has capacity for approximately 30,000 tons of material.

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72060 Dock Code: 175 Buffalo District

Port: **Lorain, OH**  
 Waterway: **Black River** Mile: PWD: 43  
 Name: **Republic Technologies International, Lorain Works, Ore Dock.**  
 Location: Left bank, Black River, approximately 0.6 mile above 21st Street Bridge, Lorain. Datum: LWD  
 Operator: Republic Technologies International.  
 Owner: Republic Technologies International.  
 Address: 1807 East 28th Street. Phone: 440-277-2700  
 Town: Lorain State: OH County: Lorain  
 Railway Connection: Plant trackage in rear connects with Norfolk Southern Corp.  
 Purpose: Receipt of iron ore pellets by self-unloading vessels; occasional receipt and shipment of coke breeze; mooring vessels during closed navigation season.  
 Depth Alongside (feet): 26 | | Latitude (decimal): 41.451944  
 Total Berthing Space (feet): 2,490 | | Longitude (decimal): -82.15  
 Remarks: Open storage area located at rear has capacity for 3,000,000 tons of iron ore pellets.

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72060 Dock Code: 175 Buffalo District

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Lorain, OH**  
Waterway: **Black River** Mile: PWD: 46  
Name: **Terminal Ready Mix, Lorain Dock.**  
Location: Right bank, Black River, above Norfolk Southern Corp. Bridge, Lorain. Datum: LWD  
Operator: Terminal Ready Mix, Inc.  
Owner: Falbo Construction Co.  
Address: 524 Colorado Avenue. Phone: 440-288-1717  
Town: Lorain State: OH County: Lorain  
Railway Connection: None.  
Purpose: Receipt of sand and stone by self-unloading vessels.  
Depth Alongside (feet): 14 | 6 - 8 | Latitude (decimal): 41.464167  
Total Berthing Space (feet): 150 | 500 | Longitude (decimal): -82.16639  
Remarks: Ready-mix concrete plant and open storage area with capacity for 30,000 tons of stone and 20,000 tons of sand are located at rear.  
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72060 Dock Code: 090 Buffalo District

---

Port: **Lorain, OH**  
Waterway: **Black River** Mile: PWD: 47  
Name: **U.S. Coast Guard Station, Lorain Slip.**  
Location: Right bank, Black River, approximately 800 feet above Erie Avenue Bridge, Lorain. Datum: LWD  
Operator: U.S. Coast Guard.  
Owner: United States Government.  
Address: 110 Alabama Avenue. Phone: 440-288-1207  
Town: Lorain State: OH County: Lorain  
Railway Connection: None.  
Purpose: Mooring U.S. Coast Guard vessels.  
Depth Alongside (feet): 7 | 7 | 7 Latitude (decimal): 41.470833  
Total Berthing Space (feet): | 66.5 | 66.5 Longitude (decimal): -82.17917  
Remarks: Steel frame boat house and one small marine railway with motorized travel lift are located at area in rear of slip.  
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72060 Dock Code: 086

---

**Port Series No. 42**  
**U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor,  
Lorain, Huron, and Sandusky, OH)**

Port: **Sandusky, OH**  
Waterway: **Sandusky Bay** Mile: PWD: 56  
Name: **Cedar Point Pier.**  
Location: South shore of Sandusky Bay, west of foot of Columbus Avenue extended, Sandusky. Datum: LWD  
Operator: Island Express Boat Lines, Ltd. and Sandusky Bay Tours.  
Owner: Cedar Point, Inc.  
Address: 101 West Shoreline Drive. Phone: 419 627-1500  
Town: Sandusky State: OH County: Erie  
Railway Connection: None.  
Purpose: Terminal for passenger ferry service to Cedar Point, Ohio; terminal for passenger ferry service to Kelleys Island, South Bass Island (Put-In-Bay), and Pelee Island, Ontario.  
Depth Alongside (feet): 15 - 18 | 5 - 15 | 5 - 18 Latitude (decimal): 41.458611  
Total Berthing Space (feet): 70 | 360 | 145 Longitude (decimal): -82.71306  
Remarks: One 240- by 48-foot, open-sided, steel frame building on pier serves as passenger terminal. Ferries operate to Cedar Point, Ohio during tourist season (May 15 through September 15).  
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72046 Dock Code: 104

---

Port: **Sandusky, OH**  
Waterway: **Sandusky Bay** Mile: PWD: 57  
Name: **City of Sandusky, Jackson Street Pier.**  
Location: South shore of Sandusky Bay, east of foot of Jackson Street extended. Datum: LWD  
Operator: Good Time Island Cruises, Inc. and Pelee Island Transportation.  
Owner: City of Sandusky.  
Address: West Shoreline Drive. Phone: 419 625-9692  
Town: Sandusky State: OH County: Erie  
Railway Connection: None.  
Purpose: Terminal for passenger and vehicular ferry service to Pelee Island, Ontario; terminal for passenger ferry service to Kelleys Island and South Bass Island (Put-In-Bay).  
Depth Alongside (feet): 6 - 9 | 6 - 8 | 4 - 9 Latitude (decimal): 41.459167  
Total Berthing Space (feet): 116 | 250 | 350 Longitude (decimal): -82.71444  
Remarks: Public parking areas are available in rear of pier and along rear of east and west sides. Pelee Island Transportation provides vehicular and passenger ferry service to Pelee Island, Leamington, and Kingsville, Ontario operating the M.V. Pelee Islander and M.V. Jiimaan. Goodtime Island Cruises, Inc. operates the Goodtime I.  
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72046 Dock Code: 100

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Sandusky, OH**  
 Waterway: **Sandusky Bay** Mile: PWD: 54  
 Name: **Denmore Fish House Dock.**  
 Location: South shore of Sandusky Bay, foot of Hancock Street extended, Sandusky. Datum: LWD  
 Operator: Denmore Fish House.  
 Owner: Gale Wenner and Tony Spino.  
 Address: 235 East Shoreline Drive. Phone: 419 621-8263  
 Town: Sandusky State: OH County: Erie  
 Railway Connection: None.  
 Purpose: Occasional receipt of seafood.  
 Depth Alongside (feet): 10 | 8 - 10 | Latitude (decimal): 41.459444  
 Total Berthing Space (feet): 54 | 200 | Longitude (decimal): -82.71  
 Remarks: Building on pier is used for processing, packing, and wholesale and retail sales of seafood.  
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72046 Dock Code: 111 Buffalo District

Port: **Sandusky, OH**  
 Waterway: **Sandusky Bay** Mile: PWD: 59  
 Name: **Geo. Gradel Co., Sandusky Salt Dock.**  
 Location: South shore of Sandusky Bay, foot of Shelby Street extended, Sandusky. Datum: LWD  
 Operator: Geo. Gradel Co.  
 Owner: Geo. Gradel Co.  
 Address: 931 West Water Street. Phone: 419 691-7123  
 Town: Sandusky State: OH County: Erie  
 Railway Connection: None.  
 Purpose: Receipt of salt by self-unloading vessels.  
 Depth Alongside (feet): 0 - 16 | 0 - 9 | 0 - 8 Latitude (decimal): 41.456667  
 Total Berthing Space (feet): 150 | | Longitude (decimal): -82.72222  
 Remarks: Open storage areas located at rear have capacity for approximately 110,000 tons of salt. Property is enclosed by fence.  
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 72046 Dock Code: 120 Buffalo District

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Sandusky, OH**  
 Waterway: **Sandusky Bay** Mile: PWD: 58  
 Name: **Geo. Gradel Co., Sandusky Sand Dock.**  
 Location: South shore of Sandusky Bay, east of foot of McDonough Street extended, Sandusky. Datum: LWD  
 Operator: Geo. Gradel Co.  
 Owner: Geo. Gradel Co.  
 Address: 931 West Water Street. Phone: 419 691-7123  
 Town: Sandusky State: OH County: Erie  
 Railway Connection: None.  
 Purpose: Receipt of sand and aggregate by self-unloading vessels.  
 Depth Alongside (feet): 13 | 12 | 5 Latitude (decimal): 41.457222  
 Total Berthing Space (feet): 188 | 450 | Longitude (decimal): -82.72083  
 Remarks: Open storage area on pier has capacity for 30,000 tons of material. One 50-ton public scale is located at office in rear. Property is enclosed by fence.  
 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 72046 Dock Code: 120 Buffalo District

---

Port: **Sandusky, OH**  
 Waterway: **Sandusky Bay** Mile: PWD: 60  
 Name: **JAP Holdings, Sandusky Pier.**  
 Location: South shore of Sandusky Bay, foot of Putnam Street extended, Sandusky. Datum: LWD  
 Operator: JAP Holdings.  
 Owner: James A. Palladino.  
 Address: 201 Putnam Street. Phone: 419 798-9763  
 Town: Sandusky State: OH County: Erie  
 Railway Connection: None.  
 Purpose: Mooring vessels.  
 Depth Alongside (feet): 15 - 18 | 4 - 15 | 5 - 15 Latitude (decimal): 41.454167  
 Total Berthing Space (feet): 350 | 660 | 900 Longitude (decimal): -82.72833  
 Remarks: Steel frame, metal-covered building on pier was not in use at time of survey.  
 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 72046 Dock Code: 050

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Sandusky, OH**  
Waterway: **Sandusky Bay** Mile: PWD: 55  
Name: **Neuman Boat Line, Sandusky Pier.**  
Location: South shore of Sandusky Bay, east of foot of Columbus Avenue extended, Sandusky. Datum: LWD  
Operator: Neuman Boat Line, Inc.  
Owner: Neuman Boat Line, Inc.  
Address: 101 East Shoreline Drive. Phone: 419 626-5557  
Town: Sandusky State: OH County: Erie  
Railway Connection: None.  
Purpose: Mooring vessels.  
Depth Alongside (feet): 9 | 3 - 9 | 11 Latitude (decimal): 41.458611  
Total Berthing Space (feet): 66 | 173 | 380 Longitude (decimal): -82.7125  
Remarks: Small buildings on pier are used as office and for storing supplies; inner portion of pier is used for parking. Neuman's Kelleys Island Ferry operates from Marblehead at foot of Francis Street.  
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 72046 Dock Code: 105 Buffalo District

---

Port: **Sandusky, OH**  
Waterway: **Sandusky Bay** Mile: PWD: 61  
Name: **Sandusky Dock Corp., Pier No. 3.**  
Location: South shore of Sandusky Bay, between foot of King and Olds Streets extended, Sandusky. Datum: LWD  
Operator: Sandusky Dock Corp, a subsidiary of Norfolk Southern Corp.  
Owner: City of Sandusky.  
Address: 2705 West Monroe Street. Phone: 419/483-1273  
Town: Sandusky State: OH County: Erie  
Railway Connection: Norfolk Southern Corp.: Surface track serves car dumper and joins 5 loaded-car tracks in rear, capacity 300 (100-ton) cars; kickback trestle at outer end with single track returns cars to 3 tracks.  
Purpose: Shipment of coal.  
Depth Alongside (feet): 5 - 16 | 25 - 26 | 1 - 6 Latitude (decimal): 41.459167  
Total Berthing Space (feet): | 3,495 | Longitude (decimal): -82.73139  
Remarks: Pier averages 600 feet in width. Open storage area on pier has capacity for 700,000 tons of coal.  
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 72046 Dock Code: 045 Buffalo District

---

**Port Series No. 42**  
**U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor,  
Lorain, Huron, and Sandusky, OH)**

Port: **Sandusky, OH**  
Waterway: **Sandusky Bay** Mile: PWD: 53  
Name: **State of Ohio Department of Natural Resources, Division of Wildlife**  
Location: South shore of Sandusky Bay, east of foot of Hancock Street extended, Sandusky. Datum: LWD  
Operator: State of Ohio Department of Natural Resources, Division of Wildlife.  
Owner: State of Ohio.  
Address: 305 East Shoreline Drive. Phone: 419/625-8062  
Town: Sandusky State: OH County: Erie  
Railway Connection: None.  
Purpose: Mooring state-owned research and patrol boats.  
Depth Alongside (feet): 8 - 10 | 6 - - | 6 - - Latitude (decimal): 41.459722  
Total Berthing Space (feet): | 50 | 115 Longitude (decimal): -82.70917  
Remarks: State of Ohio fisheries management and law enforcement offices are located at rear.  
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 72046 Dock Code: 115

---